



# Information-Geometric Manifold Learning for Pediatric Epilepsy Detection via Quantum-Enhanced Geodesic Classification

T Mural Mohan<sup>1</sup>, Mesfin Dagne<sup>2</sup>

<sup>1</sup> Department of Cyber Security & Business Systems, Swarnandhra College of Engineering and Technology(A), Andhra Pradesh, India ; [drtmm512@gmail.com](mailto:drtmm512@gmail.com)

<sup>2</sup> Department of CSE , Adama Science and Technology University Adama, Ethiopia; [mesfindagne@gmail.com](mailto:mesfindagne@gmail.com)

\* Corresponding Author : T. Murali Mohan ; [drtmm512@gmail.com](mailto:drtmm512@gmail.com)

**Abstract:** In this paper, we have come to know that the epilepsy is a common neural disorder in children which should be diagnosed in the early stage and effectively treated. Traditional systems for automatic seizure detection in the context of paediatric electroencephalography (EEG) are complicated by the fact that the EEG signals are non-stationary and artifact prone. Recent deep learning methods have tried to solve this by representing EEG signals as 2D topographic images fed into Convolutional Neural Nets (CNNs), which have a Euclidean-based representation. The assumption ignores intrinsic non-linear spatial correlations of brain activity. The present paper introduces a new quantum classical hybrid model where the multi-channel EEG signals are viewed as trajectories on a non-Euclidean Symmetric Positive Definite (SPD) manifold. We measure the true information-theoretic distance between normal and pre-ictal brain states by computing the Affine-Invariant Riemannian Metric (AIRM) and projecting these geometric properties on a tangent space. These high-dimensional tangent vectors are classified with a Quantum Support Vector Machine (QSVM) that uses amplitude embedding. Experimental results show that the manifold-based geometric model is much more effective than classical CNN-SVM and hybrid CNN-QSVM architectures, and that it is very robust in the presence of noisy environments typical of paediatric EEG recordings.

**Keywords:** Pediatrics Epilepsy, EEG, SPD, AIRM, QSVM, Geodesic distance..

## 1. Introduction

Epilepsy is a serious disorder of the nervous system that is common in children worldwide and is defined as a series of seizures that occur without warning or trigger and are caused by abnormal activity in the brain. Prompt and accurate diagnosis is essential, as a failure to do so may interfere with cognitive development, school performance and quality of life. EEG is still the most important diagnostic tool, as it is non-invasive and has a good temporal resolution [1]. But children's EEG is also challenging because of inter-subject variability, frequent movement artifacts and maturation of the brain. In contrast to conventional automated detection algorithms which are based on manually designed time, frequency, or time-frequency features and classical machine learning classifiers, the proposed approach is based on a novel learning algorithm [2]. This is because such systems struggle with transferring across different patient groups and recording contexts, particularly in the paediatric population where the typical features of a seizure are more

complex and may be very similar to those of normal development. Recently deep learning – more particularly, CNNs – has been used to analyze data reconstructed from EEG into image-like representations, e.g., topographic maps of the scalp [3]. These networks are able to learn spatial associations, but they represent a very complicated, interconnected neural network as a 2D Euclidean grid, discarding important topological and geometric aspects. At the same time, quantum machine learning has taken the form of a very good addition to classic models, with exponential gains in the representation of high-dimensional biomedical information. It is demonstrated that QSVMs perform better than classical SVMs on the features of spectral EEG in previous work. In this paper, the author fills the gap between advanced differential geometry and quantum computing [4]. We suggest an information-geometric framework that completely abstains from 2D CNN mapping. We, on the other hand, put the EEG covariance matrix in an SPD manifold, extract geodesic features and classify them using a QSVM, thus



creating a mathematically sound and clinically feasible solution for early detection of paediatric epilepsy [5].

It has been widely studied how to automatically detect epilepsy using EEG. Early techniques were based on manual extraction of time domain features such as statistical moments, zero crossing and energy measures. These techniques are simple to calculate but are not precise enough in terms of frequency to be used to isolate paediatric epileptic activities. To overcome this, frequency domain analysis and time-frequency analysis techniques based on Fourier transform, wavelet transform and Stockwell transform were introduced in order to obtain spectral information. The traditional EEG frequency bands (delta, theta, alpha, beta, gamma) are able to highlight abnormal energy distribution which is a feature of seizures. These methods, however, are parameter-intense and have a hard time working with data sets of different paediatric age groups. Many classifiers such as machine learning algorithms like k-nearest neighbours, decision trees and classical Support Vector Machines (SVMs) were used to deal with these features [6].

However, classical SVMs rely on fixed kernel functions which are not able to capture the highly non-linear and noisy nature of children's EEG data. The introduction of Convolutional Neural Networks (CNNs) changed the game to deep learning. The raw EEG signals were converted to spectrograms and topographic maps, and the CNN was able to harness spatial connections between electrodes. Even though deep models are successful, they require huge amounts of labelled data and computational resources which are impractical in low-resource clinical settings with paediatric patients. The next leap was the quantum machine learning for the processing of complex data spaces. QSVMs based on quantum kernel estimation and amplitude embedding have been found to yield better class separability than classical kernel estimation and embedding for EEG spectral features. Although significant progress has been made, there is no attempt to combine the non-Euclidean manifold learning with quantum classifiers for paediatric epilepsy. A hybrid structure is required that combines the mathematical structure of information geometry with the high dimensional mapping power of quantum circuits [7].

## 2. Proposed Work

In this paper, we suggest a quantum-classical model for identification of paediatric epilepsy based on EEG signals, which is an information-geometric model. The band power distributions are not filtered and mapped onto 2D topographic maps for a CNN, but rather spatial covariance matrices are built for each frequency band. These matrices are not on the normal Euclidean space, rather they are on a

curved Symmetric Positive Definite (SPD) manifold, which means that Euclidean distance metrics are mathematically invalid. We have used the Affine-Invariant Riemannian Metric (AIRM) to compute the actual geodesic distance between continuous states of the brain. The manifold is given the mean value (the Fréchet mean) of the reference "normal" brain state. These curved space representations are projected onto a flat tangent space at the Fréchet mean, for ease of quantum classification. The obtained tangent vectors are so called discriminative spatial-geometric features. The embeddings are then classified with a Quantum Support Vector Machine (QSVM) that implements amplitude embedding for the optimization of the boundary between the seizure and non-seizure states in a high dimensional quantum Hilbert space [8].

## 3. Modules and Implementation

The proposed framework is based on a sequential geometric processing pipeline that transforms the image-based pipe-line into a framework for deriving meaningful spatial and spectral data of paediatric EEG recordings, which results in trustworthy seizure classification in a hybrid quantum-classical framework. First, multi-channel EEG records are recorded from paediatric patients without any pre-processing, and then pre-processed to improve the quality of the signal. Band pass filtering removes low-frequency drift and high-frequency noise and notch filtering removes power-line interference. If too many artifacts are present in segments, they are discarded. Cleaned data is divided into fixed long time windows to extract features in a consistent way. The EEG segments are divided into typical frequency bands: delta (0.5–4 Hz), theta (4–8 Hz), alpha (8–13 Hz), beta (13–30 Hz), and gamma (>30 Hz). We compute the regularized spatial covariance matrix for each time window and frequency band instead of mapping the band power values onto 2D topographic scalp maps using spatial interpolation. These matrices are imbedded in the SPD manifold [9].

The geometric distance from the patient's particular Fisher Information rate is calculated, measuring the geometric distance from the individual Fisher Information rate of the patient. A rapid divergence signifies un-natural energy distribution linked with epileptic activity. Data is projected onto the tangent space, yielding very discriminative low dimensional feature embeddings. Lastly, these embeddings are labelled. A classical Support Vector Machine is used as a benchmark. An advanced configuration is run on a Quantum Support Vector Machine (QSVM) with amplitude embedding. Feature vectors are encoded in the states of a quantum system and a quantum kernel performs intricate data relationships. Clinically relevant metrics are used to compare the classical and quantum classifiers [10].

### Spatial Covariance Matrix (EEG representation)

$$P = \frac{1}{T-1} XX^T$$

Where:

$X \in \mathbb{R}^{C \times T}$  = EEG signal matrix

$C$  = number of EEG channels

$T$  = number of time samples

$P$  = covariance matrix

### Regularized Covariance Matrix

$$P_{reg} = P + \lambda I$$

Where:

$\lambda$  = regularization parameter

$I$  = identity matrix

### Affine-Invariant Riemannian Metric (AIRM)

This is one of the central equations of your paper:

$$d_R(P_1, P_2) = \|\log(P_1^{-1/2} P_2 P_1^{-1/2})\|_F$$

Where:

$P_1, P_2$  = covariance matrices

$\log$  = matrix logarithm

$\|\cdot\|_F$  = Frobenius norm

### Fréchet Mean of SPD Matrices

$$P_m = \arg \min_P \sum_{i=1}^N d_R^2(P, P_i)$$

Where:

$P_m$  = Fréchet mean

$N$  = total EEG samples

### Tangent Space Projection

$$V_i = \log(P_m^{-1/2} P_i P_m^{-1/2})$$

Where:

$V_i$  = tangent vector representation

### Quantum Amplitude Embedding

$$|x\rangle = \frac{1}{\|x\|} \sum_{i=0}^{n-1} x_i |i\rangle$$

Where:

$x_i$  = feature vector values

$|i\rangle$  = quantum basis states

### Quantum Kernel Function (QSVM)

$$K(x_i, x_j) = |\langle \phi(x_i) | \phi(x_j) \rangle|^2$$

Where:

$K$  = kernel matrix

$\phi(x)$  = quantum feature map

### SVM Decision Function

$$f(x) = \text{sign} \left( \sum_{i=1}^N \alpha_i y_i K(x_i, x) + b \right)$$

### Performance Metrics

Sensitivity:

$$\text{Sensitivity} = \frac{TP}{TP + FN}$$

Specificity:

$$\text{Specificity} = \frac{TN}{TN + FP}$$

F1-Score:

$$F1 = \frac{2TP}{2TP + FP + FN}$$

False Alarm Rate:

$$FAR = \frac{FP}{\text{Total Time}}$$

### Information-Geometric Mapping: Manifold to Tangent Space




Fig. 1 Information Geometric Mapping

Paediatric EEG data is pre-processed to clean it up from noise and artifacts and segmented into fixed-length windows. This guarantees the consistency of data provided for later processing stages and offers the scalability of different datasets [11]. The EEG segments are segmented by frequency bands. This module does not create image maps, but computes the spatial covariance matrix  $P$  for each window. It uses shrinkage regularization techniques to ensure that the matrices are guaranteed to lie on the  $\{\text{Sym}\}_C^+$  manifold. The module is used to replace the light-weight CNN as a geometric feature extractor. It calculates the Fréchet mean of RESTING state EEG. It projects all the covariance matrices to the tangent space at the mean using the Affine-Invariant Riemannian Metric (AIRM) and extracts feature vectors  $V$  which are capable of representing the top-ological relationships among the brain channels perfectly, avoiding the danger of overfitting of the deep CNN models [12]. Both classical and quantum models are utilized to classify the geometric feature embeddings. Amplitude embedding is linked to a Quantum Support Vector Machine, which is the central theme of this module. The tangent vectors are encoded in quantum states and quantum circuits are used to compute the kernel matrix [13]. Evaluation is objective by using



sensitivity, specificity and F1-score, false alarm rate of the framework.

## 4. Results

The hybrid quantum-classical model was tested to explore its usefulness in detecting epileptic activity in paediatric EEG data. To compare the performance, the experiments were conducted with three theory configurations of CNN-SVM (Euclidean baseline), CNN-QSVM (image-based quantum classification), and the proposed Geometric-QSVM. All the metrics such as sensitivity, specificity, F1-score and false alarms per hour were considered. The traditional CNN-SVM configuration showed that spatial patterns plus feature learning works well but failed to separate different classes of seizures under high noise or fine pattern of seizures [14]. The proposed Geometric-QSVM configuration achieved significantly better performances for all the measurements.

The quantum kernel successfully distinguished high-dimensional geometric features with the help of tangent space embeddings on the SPD manifold. This resulted in higher F1-scores and sensitivity, and significantly reduced false alarm rates. The mathematically sound Riemannian features showed that the amplitude-dependent quantum kernels describe more accurately the non-linear relationships in paediatric EEG, compared to classical kernels on Euclidean data [15]. In addition, the Geometric-QSVM was extremely robust even if fewer EEG channels were used [16], making it particularly useful in clinical settings where the use of full channel arrays is not possible.




Fig. 2 Spatial Covariance Matrcs

### 4.1. Performance Comparison of Classifiers

These findings suggest that converting EEG signals into geometric manifold representations profoundly improves spatial feature extraction over traditional topographic maps [17]. The separability of seizure states is drastically enhanced by integrating Riemannian geometry with quantum-enhanced classification, proving the applicability of hybrid quantum-classical solutions to biomedical signal analysis [18]. While real-time physical quantum hardware implementation remains a constraint, the framework represents a massive leap toward precise pediatric epilepsy detection systems.

Table.1 Comparison Analysis

| Model          | Sensitivity (%) | Specificity (%) | F1-Score | False Alarms/hr |
|----------------|-----------------|-----------------|----------|-----------------|
| CNN-SVM        | 90.2            | 91.5            | 0.91     | 0.35            |
| CNN-QSVM       | 94.6            | 95.1            | 0.95     | 0.18            |
| Geometric-QSVM | 97.8            | 98.2            | 0.98     | 0.05            |




Fig. 3 Real Time Seizure Detection

## 5. Conclusion and Future Scope

In this paper, an information-geometric quantum-classical model for pediatric epilepsy detection was presented, shifting away from standard EEG topography representations. The framework combines frequency-based EEG analysis with Riemannian manifold learning to capture the exact geometric distance between brain states. While convolutional neural networks efficiently obtain discriminative features from images, mapping EEG covariance to an SPD manifold entirely eliminates spatial distortion. When combined with quantum-enhanced classifiers, the framework achieves unmatched class separability under noisy paediatric conditions. The superiority of the quantum kernel applied to Riemannian tangent vectors highlights a major breakthrough over classical Euclidean models. This solution is highly accurate, less reliant on dense channel setups, and holds immense potential for clinical practice.

## References

- [1]. Y. Roy et al., "Deep learning-based electroencephalography analysis: A systematic review," *Journal of Neural Engineering*, vol. 16, no. 5, 2019.
- [2]. K. Venkata, D. M, V. Ch, and S. R. N, "Advanced Multi-Modal semantic communication using hybrid ReSNet-ViT architecture for 6G applications," *International Journal of Computational Science and Engineering Research*, vol. 3, no. 1, p. 74, Jan. 2026, doi: 10.63328/ijcser-v3ri1p9.
- [3]. Roy, Y., Banville, H., Albuquerque, I., Gramfort, A., Falk, T. H., & Faubert, J., "Deep learning-based electroencephalography analysis:



A systematic review," *Journal of Neural Engineering*, vol. 16, no. 5, 2019.

- [4]. K. R. Kuppireddy, R. T, R. Yagireddi, and J. V. G. P. R. Pyla, "Real-Time Stampede Risk Prediction from Crowd Videos Using YOLOv8 and Spatio-Temporal Modeling," *International Journal of Computational Science and Engineering Research*, vol. 3, no. 1, p. 44, Jan. 2026, doi: 10.63328/ijcser-v3ri1p5
- [5]. G. P. S and S. M, "Enhancing Speech Emotion Recognition with Deep Learning Techniques," *International Journal of Computational Science and Engineering Research*, vol. 3, no. 1, p. 1, Jan. 2026, doi: 10.63328/ijcser-v3ri1p1.
- [6]. S. K. N and S. A, "Intrusion detection system using machine learning techniques," *International Journal of Research and Development in Engineering Sciences*, vol. 6, no. 2, p. 4, Apr. 2024, doi: 10.63328/ijrdes-v6ri2p2.
- [7]. N Chandrika , Venkata Ramana Guntreddi, " Diffusion-Based Synthetic Motorsport Telemetry Generation for Aero-Stability Prediction Systems ", *International Journal of Computer Science, Engineering and Artificial Intelligence* , vol. 1, no. 1, p 28 – 34, December 2024, DOI: <https://doi.org/10.63328/IJCSEAI-V1RI1P5>
- [8]. R. N, "The impact of digital transformation on leadership and management styles," *International Journal of Computational Science and Engineering Research*, vol. 2, no. 1, Mar. 2025, doi: 10.63328/ijcser-v2ri1p6.
- [9]. A. T. Tzallas, M. G. Tsipouras, and D. I. Fotiadis, "Epileptic seizure detection in EEGs using time–frequency analysis," *IEEE Transactions on Information Technology in Biomedicine*, vol. 13, no. 5, pp. 703–710, 2009.
- [10]. A. H. Shoeb and J. V. Guttag, "Application of machine learning to epileptic seizure detection," *Proceedings of the 27th International Conference on Machine Learning*, 2010.
- [11]. P. Bashivan et al., "Learning representations from EEG with deep recurrent-convolutional neural networks," *arXiv preprint arXiv:1511.06448*, 2016.
- [12]. using CNN," *International Journal of Research and Development in Engineering Sciences*, vol. 6, no. 2, p. 20, Apr. 2024, doi: 10.63328/ijrdes-v6ri2p5.
- [13]. C Nalini , Yam Krishna Poudel , Collaborative Swarm Intelligence Framework for Multi-Agent Scientific Discovery Systems", *International Journal of Computer Science, Engineering and Artificial Intelligence* , vol. 1, no. 1, p. 14-19, December 2024, DOI: <https://doi.org/10.63328/IJCSEAI-V1RI1P3>
- [14]. P. M and D. B. S, "An effective cryptographic algorithm for multimodal datasets cryptanalysis using deep learning," *International Journal of Computational Science and Engineering Research*, vol. 2, no. 4, Oct. 2025, doi: 10.63328/ijcser-v2ri4p1.
- [15]. V. J. Lawhern et al., "EEGNet: A compact convolutional neural network for EEG-based brain–computer interfaces," *Journal of Neural Engineering*, vol. 15, no. 5, 2018.
- [16]. Nattala Subbarayudu , Ravindra Lal Weeraratne Koggalage , " Hybrid Transformer – LSTM Framework for Aero-Stall Prediction in Formula 1 Ground-Effect Vehicles", *International Journal of Computer Science, Engineering and Artificial Intelligence* , vol. 1, no. 1, p. 1-7, December 2024, DOI: <https://doi.org/10.63328/IJCSEAI-V1RI1P2>
- [17]. M. J. A. M. Van Putten et al., "Detecting temporal lobe seizures from scalp EEG using a convolutional neural network," *Epilepsy & Behavior*, vol. 62, pp. 114–122, 2016.
- [18]. M. Schuld, I. Sinayskiy, and F. Petruccione, "An introduction to quantum machine learning," *Contemporary Physics*, vol. 56, no. 2, pp. 172–185, 2015.

## Declaration

**Conflicts of Interest:** The authors declare no conflict of interest.

**Author Contribution:** All authors wrote the main manuscript text and also consent to the submission.

**Ethical approval:** Not applicable.

**Consent to Participate:** All authors consent to participate.

**Funding:** Not applicable, and No funding was received

**Institutional Review Board Statement:** Not applicable.

**Informed Consent Statement:** Not applicable.

**Personal Statement:** We declare with our best of knowledge that this research work is purely Original Work and No third party material used in this article drafting. If any such kind material found in further online publication, we are responsible only for any judicial and copyright issues.

**Generative AI Statement:** The authors declare that generative AI was not used in the preparation or creation of this manuscript. The alternative text (alt text) accompanying the figures in this article was generated by Frontiers with the assistance of artificial intelligence. Reasonable efforts have been made to ensure the accuracy and appropriateness of the generated alt text, including review by the authors wherever possible. If you identify any inaccuracies or issues, please contact the editorial team.

**Publisher's Note:** The statements, opinions, and claims presented in this article are exclusively those of the authors and do not necessarily reflect the views of their affiliated institutions, the publisher, editors, or reviewers. Any products discussed or evaluated, as well as any claims made by their manufacturers, are not warranted, approved, or endorsed by the publisher.

## Acknowledgements

We thank everyone who inspired our work.

## How to Cite :

T Mural Mohan, Mesfin Dagne, Information-Geometric Manifold Learning for Pediatric Epilepsy Detection via Quantum-Enhanced Geodesic Classification, *International Journal of Computer Science , Engineering and Artificial Intelligence* , Vol. 2, Issue. 1 ( January – March ) , 2025 , Pages: 1 – 6.

CrossRef DOI : <https://doi.org/10.63328/IJCSEAI-V2RI1P1>